



**Liberty**  
**Counterlungs**

## FMCL

If you are looking for an unbeatably best breathing characteristics, then the front counterlungs are made for you. The easiness of breathing from the front counterlungs under water is almost unnatural. The front counterlungs achieve the best breathing work in the trim position, but in general it is easy to breathe from them in any position. Their huge advantage is the possibility of easy disposal of water from the water trap, which is the exhalation bag.

CCR Liberty is certified under the EN 14143:2013 standard in configuration with the front counterlungs. During the certification, the ANSTI laboratory measure in the depth of 100 m while using trimix the value of breathing work of 1.58 Joule/liter, which places CCR Liberty with the front counterlungs among the world leaders.

(#7024 + #7025)



## BMCL

If you want to have the front of your body devoid of any equipment, the back counterlungs are the right choice for you. The CCR Liberty back counterlungs partially reach to the diver's shoulder, so they maintain the excellent breathing characteristics.

When changing the CCR Liberty configuration from front to back counterlungs, it is necessary to replace the automatic diluent valve (ADV) and both manual addition valves (MAV), including several inlet hoses, by components meant for BMCL. Parts for this change can be ordered separately (should you already have some components) or you can use the conversion set #8145, which includes all the necessary equipment including both counterlungs. (#8143 + #8144)


## Transparent bladder – pair

Bladders made from very pliable polyurethane foil are one of the shards of the mosaic leading to the lowest breathing work. These counterlungs are less suitable for warm climate surroundings. (#8150)



## Yellow bladder – pair

Bladders, which are extraordinary in their durability in any conditions. The material is a polyester fabric with a water-proof cover resistant against galling or tearing. (#8149)





## **Divesoft s.r.o.**

Hálkova 2495  
413 01 Roudnice nad Labem  
Czech Republic

+420 416 857 057  
[info@divesoft.cz](mailto:info@divesoft.cz)  
[www.divesoft.cz](http://www.divesoft.cz)

## **Divesoft, LLC**

7850 Ulmerton Rd., Suite 3B  
Largo, Florida 33771  
USA

+1 (813) 389 7911  
[info@divesoftus.com](mailto:info@divesoftus.com)  
[www.divesoftus.com](http://www.divesoftus.com)