
Spare parts
CCR Liberty

Published by Divesoft s.r.o., www.divesoft.cz


Date of issue: 2019-10-02

Rev. 9




CCR Liberty
(CE compliant)


Spare parts



CCR Liberty with
back mounted counterlungs
and other non-CE variants


Spare parts


#2231 Screw M5 x 12, flat head Phillips, stainless
1133 Backplate - Stainless
Part containing serial number of entire apparatus
Cannot be ordered in the eshop
#1140 Carrier frame, lock lever
#1139 Carrier frame, lock barb
#1141
Carrier frame,
lock lever pivot
#2231 Screw M5 x 12, flat head Phillips, stainless
#2249 Button head screw M6 x 16, T30, stainless
#2248 Button head screw M6 x 8, T30, stainless
#1323 Lumbar support - Stainless
#1324 Carrier frame, bracket
#2220 Screw M5 x 16, flat head Phillips, stainless




1133 Backplate - Stainless
(weight 3387.21 g)


This part contains serial number of entire apparatus. Cannot be ordered in the eshop, order by e-mail, please.




#1732 Backplate - Titanium
(weight 1162.99 g)




#1828 Backplate, extended+80 mm - stainless
(weight 3489.71 g)




#1323 Lumbar support - Stainless
(weight 903.71 g)




#1733 Lumbar support - Titanium
(weight 382.16 g)




#1730 Extended base, wide - Stainless
(weight 1382.76 g)




#1736 Extended base, wide - Titanium
(weight 596.05 g)




#1523 Extended base, narrow - Stainless
(weight 1172.48 g)




#1735 Extended base, narrow - Titanium
(weight 505.38 g)



#3130 Buoyancy compensator (wing), horseshoe shape




#3200
Buoyancy compensator (wing), horseshoe shape with bungee
(not used in CCR Liberty CE)




#3199
Buoyancy compensator (wing), donut shape
(not used in CCR Liberty CE)




#2248 Button head screw M6 x 8, T30, stainless
(for attaching BCD to backplate, 10 pcs used)



#1260 Fixing strap for 2 hoses




#1261 Fixing strap for 3 hoses




#1262 Fixing strap for 4 hoses




#1330 Fixing strap for lock lever




#1472 Harness, raw strap
(please specify, if you
need a different length)




#7014 Crotch strap, complete




#7043 Crotch strap, raw




#7039 Harness, complete
(2 pcs used in CCR Liberty)




#3023 Tank strap
(2 pcs used in CCR Liberty)



#3024 Central strap




#1162 Ladder lock




#8101 QRF Buckle




#1731 Ladder lock for double strap




#1164 QRF buckle, ladder lock part




#1201 QRF buckle, sewing part




#1161 D-ring 50 mm




#7062 QRF buckle, adjustable part



#7041
Tank 3 l/300 bar, "Diluent",
with straight valve (DIN G5/8)



#7042
Tank 3 L/300 bar, "Oxygen",
with straight valve (M26x2)



#7063
Tank 3 L/300 bar, "Oxygen",
with straight valve (DIN G5/8)


Not used in CCR Liberty CE




#7155 Tank 3L 300 bar, steel, 100 mm diameter, neck thread M25x2, DILUENT



#7154 Tank 3L 300 bar, steel, 100 mm diameter, neck thread M25x2, OXYGEN




#3123
Cylinder valve SLS, DIN G5/8 (tank thread M25x2), Air 230 bar, black handle



#2120
O-ring 25 x 3.55, Oxygen compatible, 80 Sh


#3124
Cylinder valve SLS, M26x2 (tank thread M25x2), Nitrox (oxygen) 230 bar, green handle




#3192
Cylinder valve SLS, DIN G5/8 (tank thread M25x2), 230 bar, green handle.

Valve is oxygen clean, but it is not recognized as valve for oxygen by any of EN standards.


Not used in CCR Liberty CE




#3123 Cylinder valve SLS, 230 bar
(Used in Liberty CE with Diluent cylinder)




#3124 Cylinder valve SLS, 230 bar
(Used in Liberty CE with oxygen cylinder)



#3192 Cylinder valve SLS, 230 bar




#3161 Cylinder valve SLS, 230 bar




#3137 Cylinder valve SLS, 230 bar


All valves are oxygen compatible




#3258 Cylinder valve SH, 230 bar
(Used in Liberty sidemount conversion kit)



#3259 Cylinder valve SH, 230 bar
(Used in Liberty sidemount conversion kit)



#3191 Cylinder valve S, 230 bar
(Alternative valve for sidemount)




#3190 Cylinder valve S, 230 bar
(Alternative valve for sidemount)

All valves are oxygen compatible


#2026
O-ring 7.65 x 1.78,
NBR, 70 Sh

Modified connector for
oxygen manual addition valve




#3116 Hose for manual oxygen bypass 830 mm

Standard connector
(can't be connected to oxygen
manual addition valve)




#3021 Hose for inflator 878 mm


#2028
O-ring 6.08 x 1.78,
NBR, 70 Sh



#3018 Hose for ADV 798 mm




#3019 Hose for oxygen supply 436 mm




#3020 Hose for manual diluent bypass 960 mm

#2050
O-ring 8.74 x 1.78,
NBR, 70 Sh




#3022 HP hose for submersible pressure gauge (diluent) 929 mm


(2 pcs used in CCR Liberty)




#3170 Hose for BOV 1100 mm
(used for bailout valve (accessory))




#7028 Canister (complete)




#7027 Scrubber cartridge (radial type) (complete)




#7080 Canister XT 3.3 kg
(accessory)




#7079 Scrubber cartridge 3.3 kg (complete)
(accessory)




#7026 Head
(complete, without HUD, BD, handsets)



#7026 Head, radial O2 connector installed



#7026 Head, axial O2 connector installed




#2035
O-ring 24 x 2,
NBR, 70 Sh

#1275 Handset, hinge


#1319 Handset, hinge screw

#7019 Handset 2.4"
Cable length 1060 mm (42 in)
Other cable length on request




#2022
O-ring 22 x 2,
NBR, 70 Sh


#7020 Head-up Display, complete



#7098 Head-up Display for sidemount, complete
(Other cable length on request)



#7052 HUD Extension 17 mm




#2022
O-ring 22 x 2,
NBR, 70 Sh


#7021 Buddy Display




#2212 Screw M4 x 16, socket head, stainless
for Buddy display (2 pcs used)




#2208 Screw M4 x 20, socket head, stainless
for Handset and HUD (2 pcs used for each)




#7018 Loop assembly




#8155
Manual add valve, oxygen,
key 2 (three tabs)




#8158
Manual add valve, swivelling,
diluent, key 1 (two tabs)




#7053 Weight pocket, left




#7054 Weight pocket, right




#8035 Overpressure valve




#8084 Automatic Diluent Valve, axial design




#7025
Counterlung, front
mounted, right (complete)




#7024
Counterlung, front
mounted, left (complete)





#8144
Counterlung back
mounted, right (complete)




#8143
Counterlung back
mounted, left (complete)


#1219
Counterlung, front mounted, right (cover)
#8101 QRF Buckle
#1218
Counterlung, front mounted, left (cover)
#8071
Counterlung bayonet connection, socket, right version - anti blockage, keyway code 1
#8072
Counterlung bayonet connection, socket, left version - anti blockage, keyway code 1
#8082
Counterlung bayonet connection, socket, right version, keyway code 2
#8006
Counterlung bayonet connection, socket, left version, keyway code 1
#8083
Counterlung bayonet connection, left version, lockable, keyway code 1
#8083
Counterlung bayonet connection, left version, lockable, keyway code 1



#8101 QRF Buckle
#1852
Counterlung, back mounted,
right (cover)
#1853
Counterlung, back mounted,
left (cover)
#8071
Counterlung bayonet
connection, socket,
right version - anti
blockage, keyway
code 1
#8072
Counterlung bayonet
connection, socket,
left version - anti
blockage, keyway
code 1
#8006
Counterlung bayonet
connection, socket,
left version, keyway
code 1




#8083
Counterlung bayonet connection, left version,
lockable, keyway code 1




#1220 counterlung, bladder PUR (transparent pliable foil)
(fits to both front mounted counterlungs)




#1631 counterlung, bladder PES (yellow durable fabric)
(fits to both front mounted counterlungs)



#1855 counterlung back mounted, left, bladder PES (yellow durable fabric)



#1854 counterlung back mounted, right, bladder PES (yellow durable fabric)



#1519
Counterlung bayonet connection, clamping plate, left arrow


#1521
Counterlung bayonet connection, clamping plate, right arrow

#1498
Counterlung bayonet conection, socket, right version, keyway code 2 (three cutouts)

#1021
Counterlung bayonet connection, socket, left version, keyway code 1 (two cutouts)

#8082
Counterlung bayonet connection, socket, right version, keyway code 2

#8006
Counterlung bayonet connection, socket, left version, keyway code 1



#1519
Counterlung bayonet connection, clamping plate, left arrow

#1521
Counterlung bayonet connection, clamping plate, right arrow


#1475
Counterlung bayonet conection, socket, right version - anti blockage, keyway code 1 (two cutouts)

#1476
Counterlung bayonet connection, socket, left version - anti blockage, keyway code 1 (two cutouts)

#8071
Counterlung bayonet connection, socket, right version - anti blockage, keyway code 1

#8072
Counterlung bayonet connection, socket, left version - anti blockage, keyway code 1

For common parts see next page



#2209
Screw M3 x 16,
socket head,
stainless

#1909 Clamping ring narrow 42 x 7 mm

#1912
Counterlung bayonet connection with watertrap,
socket, left version, keyway code 1 (two
cutouts)


#2017 O-ring 60 x 3, NBR, 70 Sh

#1077 Counterlung bayonet connection, holding ring

#1519 Counterlung bayonet connection, clamping plate, left arrow


#1019 Counterlung bayonet connection, retaining nut

#8192
Counterlung bayonet connection with
watertrap, socket, left version, keyway code 1




#2034 O-ring 16 x 2, NBR, 70 Sh

#7030 Pressure sensor



#2212 Screw M4 x 16, socket head, stainless
for pressure sensor (3 pcs used for each sensor)


#2073 O-ring 6 x 1, NBR, 70 Sh




#2073 O-ring 6 x 1, NBR, 70 Sh


#2034 O-ring 16 x 2, NBR, 70 Sh

#7001 He sensor



#2211 Screw M4 x 50, socket head, stainless
for He sensor






#2088 O-ring 6 x 1.50, NBR, 70 Sh

#1480 Bleed valve connector


#2088 O-ring 6 x 1.50, NBR, 70 Sh

#2045 O-ring 12.5 x 2, NBR, 70 Sh

#7012 Battery pack Li-Ion, 5.7 Ah




#7013 Jumper for battery pack




#2212 Screw M4 x 16, socket head, stainless
for battery pack (2 pcs used for each batt. pack)

#1104 Block of oxygen sensors, cell holder
#2053 O-ring 32 x 2, NBR, 70 Sh
#2038 O-ring 65 x 2, NBR, 70 Sh
#2074 O-ring 54 x 2, NBR, 70 Sh
#1488 Block of oxygen sensors, cell holder pad
#2214 Screw M3 x 20, socket head, stainless
#2037 O-ring 68 x 2, NBR, 70 Sh




#2054 O-ring 33 x 2, NBR, 70 Sh
#2025 O-ring 36 x 2, NBR, 70 Sh


#7029 Block of oxygen sensors (without oxygen sensors)



#7066 Block of oxygen sensors, cover assembly
(with cables and connectors, without o-rings)



#2253 Screw M4 x 70, socket head, stainless
for block of oxygen sensors (2 pcs used)




#3092 Oxygen sensor, type 22D (with
hydrophobic membrane)
(4 pcs used)

#1214 T-piece 38.1 mm, through

#1301 Clamping ring narrow 39.6 x 7 mm


#1346 Corrugated hose, shortened, 1 1/2" x 250 mm (22 segments)

#1300 Clamping ring wide 39.6 x 11 mm




#1084 Elbow 38.1 mm 65°, inhale (keyway code 1 - two tabs)


#1278 Corrugated hose, 1 1/2" x 330 mm



#8003 Dive/Survace Valve




#1278 Corrugated hose, 1 1/2" x 330 mm



#1345 Corrugated hose, shortened, 1 1/2" x 225 mm (20 segments)

#1215 T-piece 38.1 mm, split (water trap)




#2053 O-ring 32 x 2, NBR, 70 Sh


#2209 Screw M3 x 16, socket head, stainless


#1314 Elbow 38.1 mm 65°, exhale (keyway code 2 - three tabs)

#7018 Loop assembly




#8003 Dive/Surface Valve






#7189 Snap ring with eyelets




#1014 Snap ring


Both types of snap rings can be used with all types of mouthpieces (DSV, BOV)




#7052 HUD Extension 17 mm



#1216 Blind plug




#1486 Bayonet socket, cover




#1023 Tightening tool for counterlung bayonet connectors




#1217 Adjusting tool for counterlung bayonet connectors




#1850
Tightening tool for diaphragm ADV




#1928 BOV multitool




#7135 ADV valve tool



#1927
Multitool for low profile dump valve




#1335 Calibration jig




#1052 Inflator flow limiter


#2002 O-ring 4 x 1, NBR, 70 Sh




#8009 Low-pressure connection hose




#7045 Charging cable USB




#3131 Plug-in USB charger (EU, UK, USA, AU)




#3134 USB 2.0 "AB" cable




#7023 Multi-purpose USB connector




#7070 LP hose plug 9/16-18 UNF with ribbon "REMOVE BEFORE DIVE"




#1530 LP hose plug 9/16-18 UNF




#7068
Watertight screw cap
9/16-18 UNF, assembly




#1076
Watertight screw cap "DIN" (G5/8)



#1529 Watertight screw cap M26x2




#8084 Automatic Diluent Valve, axial design




#1515 Pushrod (opening pressure 5 kPa)
Not used in CCR Liberty CE




#1526 Additional spring to ADV
(increases opening pressure)
Not used in CCR Liberty CE




#8035 Overpressure valve




#8167 Low profile dump valve




#8155 Manual add valve, oxygen, key 2 (three tabs)




#8156 Manual add valve, diluent, key 1 (two tabs)



#8158 Manual add valve, swivelling, diluent, key 1 (two tabs)




#7084 MAV, valve core, diluent 4 L/s





#7085 MAV, valve core, oxygen 0.7 L/s

#3128
1st stage overpressure
relief valve 3/8-24 UNF




Diluent






Oxygen


#2249
Button head
screw M6 x 16,
T30, stainless



#3025
1st stage regulator Apeks DST with
left manifold block, G 5/8 connection



#3114
1st stage regulator Apeks DST with
right manifold block, M26x2 connection



#7067
Apeks DST, Connector
DIN (G 5/8), assembly

#1856
Blanking plug 7/16-20
(high pressure)




#2050
O-ring 8.74 x 1.78,
NBR, 70 Sh


#1532
Blanking plug 3/8-24
(medium pressure)




#2026
O-ring 7.65 x 1.78,
NBR, 70 Sh




#3025 1st stage regulator Apeks DST with left manifold block, G 5/8 connection




#3114 1st stage regulator Apeks DST with right manifold block, M26x2 connection




#1580
Mouthpiece, elbow 38.1 mm (1 1/2") — inhale




#1581
Mouthpiece, elbow 38.1 mm (1 1/2") — exhale



#1857
Extension piece to the DSV, elbow — asymmetric




#1858
Extension piece to the DSV, elbow — symmetric




#1015 Mouthpiece, straight nipple 38.1 mm (1 1/2") — inhale
#1300 Clamping ring wide 39.6 x 11 mm
#1497 Mouthpiece, straight nipple 38.1 mm (1 1/2") — exhale
#2209 Screw M3 x 16, socket head, stainless

#8176 Set of connectors 38.1 x 18 mm (wide clamp)
can be used for Liberty and others




#1015 Mouthpiece, straight nipple 38.1 mm (1 1/2") — inhale
#1301 Clamping ring narrow 39.6 x 7 mm
#1497 Mouthpiece, straight nipple 38.1 mm (1 1/2") — exhale
#2209 Screw M3 x 16, socket head, stainless

#8175 Set of connectors 38.1 x 18 mm (narrow clamp)
can be used for Liberty and others




#1767 Mouthpiece, straight nipple 39.6 x 28 mm — inhale
#1768 Mouthpiece, straight nipple 39.6 x 28 mm — exhale

#8164 Set of connectors 41.2 x 28 mm
can be used for Hollis and others




#1805 Mouthpiece, straight nipple 39.3 x 40.6 mm — inhale
#1807 Clamping ring 47.2 x 16 mm
#1806 Mouthpiece, straight nipple 39.3 x 40.6 mm — exhale
#2209 Screw M3 x 16, socket head, stainless

#8166 Set of connectors 39.3 x 40.6 mm
can be used for Cooper hoses and others




#1761 Mouthpiece, straight nipple 34.3 x 18 mm — inhale
#1760 Clamping ring 38.3 x 7, V-profile
#1762 Mouthpiece, straight nipple 34.3 x 18 mm — exhale
#2209 Screw M3 x 16, socket head, stainless

#8162 Set of connectors 34.3 x 18 mm
can be used for JJ and others




#1765 Mouthpiece, straight nipple 44.6 x 18 mm — inhale
#1766 Mouthpiece, straight nipple 44.6 x 18 mm — exhale

#8165 Set of connectors 44.6 x 18 mm
can be used for rEvo and others




#1763 Mouthpiece, straight nipple 45 x 28 mm — inhale
#1764 Mouthpiece, straight nipple 45 x 28 mm — exhale

#8163 Set of connectors 46.25 x 28 mm
can be used for Meg and others




#1808 Mouthpiece, straight nipple 30.5 x 32 mm — inhale
#1810 Clamping ring 34.5 x 11
#1809 Mouthpiece, straight nipple 30.5 x 32 mm — exhale
#2209 Screw M3 x 16, socket head, stainless


#8161 Set of connectors 30.5 x 32 mm
can be used for Inspiration and others




#1301 Clamping ring narrow 39.6 x 7 mm




#1810 Clamping ring 34.5 x 11




#1300 Clamping ring wide 39.6 x 11 mm




#1760 Clamping ring 38.3 x 7, V-profile




#1807 Clamping ring 47.2 x 16 mm




#1757 Clamping ring 47.2 x 16 mm




#1759 Clamping ring 42 x 16 mm




#1758 Clamping ring 46.8 x 11




proper screws: #2209 Screw M3 x 16, socket head, stainless







#1084
Elbow 38.1 mm 65°, inhale (keyway code 1 - two tabs) (use:
Standard, inhale; Sidemount counterlung, both inhale and exhale)




#1848
Elbow 38.1 mm 65°, turned inhale (keyway code 1T - two tabs)
(use: Sidemount, inhale)




#1814
Elbow 38.1 mm 65°, reverse inhale (keyway code 1R - two tabs)
(use: Reverse air flow direction, inhale)



#1314
Elbow 38.1 mm 65°, exhale (keyway code 2 - three tabs)
(use: Standard, exhale)




#1849
Elbow 38.1 mm 65°, turned exhale (keyway code 2T - three tabs)
(use: Sidemount, exhale)




#1815
Elbow 38.1 mm 65°, reverse exhale (keyway code 2R - three tabs)
(use: Reverse air flow direction, exhale)

Hose fittings for alternative routing of corrugated hoses to Air Mass Treatment Unit





#1583
Hose branch straight 38.1 mm (1 1/2"), keyway code 2 (three tabs)




#1582
Hose branch straight 38.1 mm (1 1/2"), keyway code 1 (two tabs)

Hose fittings for alternative routing of corrugated hoses to Air Mass Treatment Unit



#1813 Divex DMM, retaining ring
#1811 Divex DMM, union nut
#2110 O-ring 26 x 2, NBR, 70 Sh
#1812 Divex DMM, socket
#8160 Divex DMM, connector




#7078 Bailout valve BOV with ADV, mouthpiece
BOV versions with and without ADV differ only in type of rotary gate



BOV gate assembly, with ADV




BOV gate assembly, without ADV




Other parts are identical to #7078 Bailout valve BOV with ADV, mouthpiece


#7087 Bailout valve BOV with ADV, connector Dräger
for use with full face mask Dräger Panorama Nova




Other parts are identical to #7087 Bailout valve BOV with ADV, connector Dräger

#7089 Bailout valve BOV with ADV, connector OTS



Manual add valve (MAV), left
Manual add valve (MAV), right




BOV manual add valve (MAV) — left, inhale, diluent (38.1 (1 1/2"))




BOV manual add valve (MAV) — right, exhale, oxygen (38.1 (1 1/2"))




BOV manual add valve (MAV) — left, inhale, diluent (44.6 x 18)



BOV manual add valve (MAV) — right, exhale, oxygen (44.6 x 18)




BOV MAV, right valve assembly, axial mount



Unmarked parts are identical to those in the valve on the previous page


Components 1872 and 2076 are not used in the diluent valve.

BOV MAV, left valve assembly, axial mount



Unmarked parts are identical to those in the valve on the previous page

BOV MAV, right valve assembly, radial mount



Unmarked parts are identical to those in the valve on the previous page

Components 1872 and 2076 are not used in the diluent valve.


BOV MAV, left valve assembly, radial mount




#1790 BOV MAV, right lever, green



#1789 BOV MAV, left lever, black



#1930 BOV MAV, right lever, short, green




#1929 BOV MAV, left lever, short, black




#1932 BOV MAV, right lever, black




#1931 BOV MAV, left lever, green



#1933 BOV MAV, right lever, short, black



#1934 BOV MAV, left lever, short, green




#1775 BOV MAV, connector 38.1 — left, inhale

#1301 Clamping ring narrow 39.6 x 7 mm

#1776 BOV MAV, connector 38.1 — right, exhale

#2209 Screw M3 x 16, socket head, stainless


MAV connectors 36.1 x 18 mm (narrow clamp)
can be used for Liberty and others



#1923 BOV MAV, connector 44.6 x 18 — left, inhale

#1926 BOV MAV, connector 44.6 x 18 — right, exhale

MAV connectors 44.6 x 18 mm
can be used for rEvo and others




#1893 BOV MAV, connetor 34.3 x 18 — left, inhale

#1760 Clamping ring 38.3 x 7, V-profile

#1892 BOV MAV, connector 34.3 x18 — right, exhale

#2209 Screw M3 x 16, socket head, stainless


MAV connectors 34.3 x 18 mm
can be used for JJ and others



#1027 BOV MAV, connector 39.6 x 28 — left, inhale

#1028 BOV MAV, connector 39.6 x 28 — right, exhale

MAV connectors 41.2 x 28 mm
can be used for Hollis and others




#1895 BOV MAV, connector 30.5 x 32 — left, inhale

#1810 Clamping ring 34.5 x 11


#1894 BOV MAV, connector 30.5 x 32 — right, exhale

2x #2209 Screw M3 x 16, socket head, stainless


MAV connectors 30.5 x 32 mm
can be used for Inspiration and others




#7082 Diaphragm ADV T-piece




#7094 Diaphragm ADV straight left




#7111 Diaphragm ADV straight right




#7082 Diaphragm ADV T-piece




#7109 Diaphragm ADV L-piece right




#7110 Diaphragm ADV L-piece left




#7081 Diaphragm ADV standalone




#7083 Diaphragm ADV, dispensing valve (accessory)




For the usage of each size of the seats see Service manual.



#8136 O2 cell test equipment (accessory)



Transport cover for the head (accessory)



#1584 Transport cover for the head, cover

#2022 O-ring 22 x 2, NBR, 70 Sh


#1585 Transport cover for the head, stopper

#8111 Transport cover for the head (accessory)




CCR Liberty sidemount


Spare parts




#1901 Sidemount CCR, rack - stainless
(weight 1.2 kg (2.6 lb))
Not recommended to use with US-DOT compliant tanks




#1910 Sidemount CCR, rack - titanium
(weight 0.7 kg (1.55 lb))




#7095 Sidemount conterlung, complete






#7095 Sidemount conterlung, complete




#7174 sidemount CCR, S-piece, inhale



#7175 sidemount CCR, S-piece, exhale

#2028 O-ring 6.08 x 1.78, NBR, 70 Sh
#2026 O-ring 7.65 x 1.78, NBR, 70 Sh




#7159 Hose for ADV sidemount, 810 mm


#2050 O-ring 8.74 x 1.78, NBR, 70 Sh




2x #3022 HP hose for submersible pressure gauge (diluent) 929 mm




#7160 Hose MAV diluent sidemount, 1410 mm




#7162 Hose MAV oxygen sidemount, 1350 mm





#7162 Hose for oxygen supply sidemount, 445 mm



2x #3008
Retaining ring DIN 472, bore Ø32 mm
#1010
Dive/Surface Valve, gate handle
#1255 Dive/Surface Valve, gate
2x #3006
Umbrella valve 35.50 mm, low opening pressure
#1008 Dive/Surface Valve, body
2x #1012
One-way valve insert
#1857
Extension piece to the DSV, elbow — asymmetric
#1858
Extension piece to the DSV, elbow — symmetric
#7075 BOV manual add valve (MAV) — right, exhale, oxygen (38.1 (1 1/2"))
8x #2080
O-ring 37 x 2, NBR, 70 Sh
#3007 Mouthpiece "Divex"
2x #1937
Coupling insert
4x #7189
Snap ring with eyelets
#7076 BOV manual add valve (MAV) — left, inhale, diluent (38.1 (1 1/2"))
2x #3248
Corrugated hose, 1 1/2" x 330 mm
4x #1300
Clamping ring wide 39.6 x 11 mm
4x #2209
Screw M3 x 16, socket head, stainless
#1582
Hose branch straight 38.1 mm (1 1/2"), keyway code 1 (two tabs)
#7094 Diaphragm ADV straight left
#2053
O-ring 32 x 2, NBR, 70 Sh
#7097 Sidemount CCR, loop assembly




#1911 sidemount CCR, Banjo cover









① #1915 Sidemount CCR, tank strap, left (2x)




⑤ #1916 Sidemount CCR, tank strap, right (2x)




② #1917 Sidemount CCR, canister strap, left (longer) part (2x)




④ #1918 Sidemount CCR, canister strap, right (shorter) part (2x)




③ #1913 Sidemount CCR, rear handle



⑥ #1914 Sidemount CCR, hose fastening strap (2x)



#7102 Canister XT 2.5 kg (complete)



#7100 Scrubber cartridge XT 2.5 kg (complete)